



**Morse**  
MARINE BEARINGS

**Brass Sleeve Bearings**



PART NO.	CODE NAME	UNIT WT.	SHAFT DIA. (A)	OUTSIDE DIA. (B)	LENGTH INCH (C)	METAL WALL (D)	PART NO.	CODE NAME	UNIT WT.	SHAFT DIA. (A)	OUTSIDE DIA. (B)	LENGTH INCH (C)	METAL WALL (D)
E00100	ALBACORE	0.50	3/4	1-1/4	3	1/8	E04300	PICUDA	5.63	2-3/4	3-3/8	11	1/8
E00200	BLENNY	0.31	7/8	1-1/4	3-1/2	1/16	E04150	PIKE	6.47	2-1/2	3-1/2	10	1/8
E00300	BARRACUDA	0.69	7/8	1-3/8	3-1/2	1/8	E04400	PINFISH	6.88	2-3/4	3-3/4	11	1/8
E00400	BASS	0.75	7/8	1-1/2	3-1/2	1/8	E04500	PORGY	7.13	2-7/8	3-3/4	11-1/2	1/8
E00500	BETTA	0.13	1	1-1/4	3	1/32	E04600	RAY	7.06	3	3-3/4	12	1/8
E00600	BLACKFISH	0.31	1	1-1/4	4	1/32	E04700	REDFIN	7.94	3	4	12	1/8
E00700	BLOATER	0.38	1	1-3/8	4	1/16	E04800	REDFISH	9.25	3-1/8	4-1/4	12-1/2	1/8
E00800	BONITO	0.81	1	1-1/2	4	1/8	E04900	ROCKFISH	8.13	3-1/4	4	13	1/8
E00900	BROADBILL	0.88	1	1-5/8	4	1/8	E05000	SAILFISH	9.38	3-1/4	4-1/4	13	1/8
E01000	BULLHEAD	1.25	1	2	4	1/8	E05100	SALMON	10.63	3-3/8	4-1/2	13-1/2	1/8
E01100	CAMA	0.50	1-1/8	1-1/2	4-1/2	1/16	E05200	SANDFISH	9.56	3-1/2	4-1/4	14	1/8
E00650	CARIBE	0.47	1	1-1/4	6	1/32	E05300	SAWFISH	10.25	3-1/2	4-1/2	14	1/8
E01200	CARP	1.00	1-1/8	1-5/8	4-1/2	1/8	E05400	SCULPIN	10.81	3-5/8	4-1/2	14-1/2	1/8
E01300	CATFISH	1.19	1-1/8	1-3/4	4-1/2	1/8	E05500	SHAD	11.00	3-3/4	4-1/2	15	1/8
E01400	CHOBIE	1.38	1-1/8	2	4-1/2	1/8	E05600	SHARK	17.56	3-3/4	5	15	3/16
E01500	CHOGET	0.50	1-1/4	1-1/2	5	1/8	E05700	SILVERFISH	18.19	3-3/4	5-1/4	15	3/16
E01600	CHUB	1.13	1-1/4	1-3/4	5	1/8	E05800	SMELT	20.00	3-7/8	5-1/4	15-1/2	3/16
E01700	COD	1.50	1-1/4	2	5	1/8	E05900	SNAPPER	18.25	4	5	16	3/16
E01800	CROAKER	1.75	1-1/4	2-1/8	5	1/8	E06000	SOCKEYE	19.63	4	5-1/4	16	3/16
E01900	DEVILFISH	1.44	1-3/8	1-7/8	5-1/2	1/8	E06100	SPEARFISH	20.06	4-1/8	5-1/4	16-1/2	3/16
E02000	DOGFISH	1.69	1-3/8	2	5-1/2	1/8	E06200	SQUIT	22.00	4-1/4	5-1/2	17	3/16
E02100	DOLPHIN	1.75	1-3/8	2-1/8	5-1/2	1/8	E06300	STREAKER	24.31	4-3/8	5-3/4	17-1/2	3/16
E02200	EEL	2.13	1-3/8	2-3/8	5-1/2	1/8	E06400	SUCKER	22.00	4-1/2	5-1/2	18	3/16
E02300	FLAMEN	1.13	1-1/2	2	4-3/8	1/8	E06500	SUNFISH	24.63	4-1/2	5-3/4	18	3/16
E02400	FLATFISH	1.63	1-1/2	2	6	1/8	E06600	SWORDFISH	34.00	4-5/8	6-1/8	18-1/2	1/4
E02500	FLOUNDER	2.19	1-1/2	2-3/8	6	1/8	E06700	TARPON	34.00	4-3/4	6-1/8	19	1/4
E02600	GAR	1.88	1-5/8	2-1/8	6-1/2	1/8	E06800	TROUT	33.00	4-7/8	6-1/8	19-1/2	1/4
E02700	GRAYBACK	2.75	1-5/8	2-5/8	6-1/2	1/8	E06900	WAHOO	35.00	5	6-1/8	20	1/4
E02800	GROUPER	2.38	1-3/4	2-3/8	7	1/8	E07000	WALLEYE	39.00	5	6-1/2	20	1/4
E02900	HADDO	2.81	1-3/4	2-5/8	7	1/8	E07100	WANDTAIL	44.00	5-1/4	6-3/4	21	1/4
E03000	HAKE	3.00	1-7/8	2-5/8	7-1/2	1/8	E07200	WAP	48.00	5-1/4	7	21	1/4
E03100	HALIBUT	3.69	1-7/8	2-15/16	7-1/2	1/8	E07300	WARFISH	57.00	5-3/8	6-3/4	21-1/2	1/4
E03200	HERRING	3.06	2	2-5/8	8	1/8	E07400	WARSAW	62.00	5-3/8	7	21-1/2	1/4
E03300	KINGFISH	3.88	2	3	8	1/8	E07500	WHITEFISH	59.00	5-1/2	7	22	1/4
E03350	LAMPREY	4.85	2	3	10	1/8	E07600	WINDFISH	44.50	5-5/8	7	22-1/2	1/4
E03400	MACKEREL	3.69	2-1/8	2-15/16	8-1/2	1/8	E07700	YELLOWTAIL	48.00	5-3/4	7	23	1/4
E03500	MANTA	4.50	2-1/8	3-1/8	8-1/2	1/8	E07800	YOWLING	52.00	5-7/8	7-1/2	24	1/4
E03650	MARGATE	4.90	2-1/4	3	9	1/8	E07900	ZANCLUS	55.00	6	7-1/2	24	1/4
E03600	MARLIN	3.94	2-1/4	2-15/16	9	1/8							
E03700	MINNOW	4.44	2-1/4	3-1/8	9	1/8							
E03800	MUDFISH	5.44	2-1/4	3-3/8	9	1/8							
E03900	MULLET	5.44	2-3/8	3-3/8	9-1/2	1/8							
E04000	MUSKY	4.63	2-1/2	3-1/8	10	1/8							
E04100	PERCH	5.50	2-1/2	3-3/8	10	1/8							
E04200	PICKEREL	5.75	2-5/8	3-3/8	10-1/2	1/8							

These bearings are engineered to meet the toughest service requirements in corrosive and abrasive marine or industrial applications. And the fluted rubber bearing surface will outlast hard surface bearings by more than 10 times.

They operate in any water-base liquids, most chemicals and petro products. Operating temperatures range from +4 to 70°C (+39 to 158°F). Normal loading capacity up to 35 psi, 0.0246 kg/mm2.

Shaft is cushioned by continuous flow of 7.5 liters/25 mm (2 gals/in.) of shaft diameter/min. through the bearing.

All materials meet U.S. navy specifications. MIL-B-17901B (SH) CLII.

Bearings are designed to meet requirements of American Bureau of Shipping.

\* Metric and non-metallic bearings are also available. Contact us for more information.

Phone: 800-225-0004    Fax: 908-486-1056  
e-mail: sales@sealandpower.com