




OSCO

Cast Iron Elbow and hose adapter kits.

Sold individually










Exhaust Elbows

Sold individually

Cast Iron







Hose Adapters

Cast Iron



Phone: 800-225-0004 Fax: 908-486-1056 e-mail: sales@sealandpower.com








Exhaust Wyes

Cast Iron



Exhaust Tees

Cast Iron




Phone: 800-225-0004 Fax: 908-486-1056 e-mail: sales@sealandpower.com







OSCO


Spacers, brackets, and accessories.





















- 1. CRR-E Threaded Flange. Fits OSCO #'s CVCR818, CWCR818, and FLCR818. Accepts 21/2" threaded pipe for dry stack exhaust. Use mounting kit CRR-E-MK.
- Mounting Kit, threaded flange. Fits CRR-E. Includes CRR-G gasket and mounting hardware. 2. **CRR-E-MK**
- 3. **CRR-G** Gasket, riser to manifold. Included in CRR-E-MK.
- **CS-58** Spacer, manifold (3 pieces). 5/8" thick. Fits small block GM V6 manifolds. Use mounting kit CSCR-58-MK. 4. Moves manifold out from engine to allow clearance at valve covers.
- CSCR-58-MK Mounting Kit, for CSCR618 manifold and CS-58 spacer. Includes (2) CS-GH gaskets and mounting bolts. 5. Moves manifold out from engine a total of 3/4" using CS-58 spacer.
- 6. **CV-58** Spacer, manifold (3 pieces). 5/8" thick. Fits small block GM V8 manifolds. Moves manifold out from engine to allow clearance at valve covers.
- 7. CV-58-MK Mounting Kit, for CVCR818 or CV818-350 manifolds and CV-58 spacer. Includes (2)
 - CV-GH gaskets and mounting bolts. Moves manifold out from engine a total of 3/4" using CV-58 spacer.
- **CVAB** Alternator Bracket. Fits small block Chevy V8 engines. Bolts to cylinder head. For use with 8. Mercruiser/Mando type alternator.
- Alternator Bracket. Fits Osco #'s CVCR818 and CSCR618 manifolds. For use with Motorola type 9. **CVCA** alternators.
- 10. CVCR-FB Fuel Filter Bracket. Fits CSCR618 and CVCR818 manifolds. For use with Mercruiser and Volvo type fuel
- 11. FLCR-FB Fuel Filter Bracket. Fits small block Ford V8 engines. For use with Mercruiser type fuel filters. Bolts to cylinder head.
- 12. CS-GH Gasket, manifold to cylinder head. Fits CSCR618 manifold and CS-58 spacer.
- CV-GH Gasket, manifold to cylinder head. Fits CVCR818 manifold and CV-58 spacer.
- 14. CVBC-A Alternator Bracket. For replacing early Volvo one piece manifold and riser on small block Chevy V8 engines. Includes mounting hardware and spacers. Use with CVCR818 manifold, port side.